MOL Dynamic Super Diesel 15W-40 multigrade diesel motor oil

Viscosity grade: **SAE 15W-40**

Specifications

ACEA E3-96 Issue 4
ACEA A3/B3-04
API CF
Renault RGD
Avia
Renault RD

Approvals

API CG-4/SJ
MB-Approval 228.3
MAN M 3275-1
Volvo VDS
Tatra TDS 30/12
MTU Type 2
Deutz DQC II-10

MOL Dynamic Super Diesel 15W-40 multigrade diesel motor oil

API CG-4/SJ

energy API

AMERICAN PETROLEUM INSTITUTE

License No: 0636

SCHEDULE A - LICENSE AGREEMENT

The marks referred to and licensed under the Agreement between API and
MOL- LUB PRODUCTION, DISTRIBUTION AND SERVICE
for the period beginning 8/1/2012 and ending 8/1/2013 are as follows:



API SERVICE SYMBOL

Licensee is authorized to display the API Service Symbol on the following products:

BRAND NAME	SAE VISCOSITY GRADE	SERVICE CATEGORY	PERFORMANCE DESIGNATION
MOL DYNAMIC ARCTIC	5W-40	CJ-4/SM	
MOL DYNAMIC ARCTIC	5W-40	CJ-4/SM	
MOL DYNAMIC GLOBAL DIESEL	15W-40	CJ-4/SM	
MOL DYNAMIC GLOBAL DIESEL	15W-40	CJ-4/SM	
MOL DYNAMIC GOLD	5W-30	SL	
MOL DYNAMIC GOLD	5W-30	SM	
MOL DYNAMIC GOLD	5W-30	SM	
MOL DYNAMIC MAX	10W-40	CJ-4/SL	
MOL DYNAMIC MAX	10W-40	SL	
MOL DYNAMIC MK 9	15W-40	CH-4/SL	
MOL DYNAMIC MK 9	15W-40	CH-4/SL	
MOL DYNAMIC PRIMA	5W-40	SM	
MOL DYNAMIC PRIMA	5W-40	SM	
MOL DYNAMIC STAR	0W-30	SJ	
MOL DYNAMIC STAR	0W-40	SJ	
MOL DYNAMIC SUPER DIESEL	15W-40	SJ	
MOL DYNAMIC SYNT	5W-30	SL	Energy Conserving
MOL DYNAMIC SYNT	5W-30	SL	
MOL DYNAMIC SYNT D	5W-30	SN	Resource Conserving
MOL DYNAMIC SYNT D	5W-30	SN	Resource Conserving
MOL DYNAMIC SYNT DIESEL E4	10W-40	CI-4	
MOL DYNAMIC TRANSIT	10W-40	CI-4/SL	
MOL DYNAMIC TRANSIT	15W-40	CH-4,CI-4/SL	
MOL DYNAMIC TRANSIT	15W-40	CI-4/SL	
MOL ESSENCE	15W-40	SJ	

Engine Oil Licensing and Certification System
1220 L Street, NW • Washington, DC 20005-4070 • USA • www.api.org/eolcs

Copyright 2010 – American Petroleum Institute, all rights reserved. API, the API logo, the API Certification Mark ("Starburst"), and the API Service Symbol ("Donut") are either trademarks or registered trademarks of API in the United States and/or other countries. 2010-186 | 11.10 | 5M

Kevin Ferrick
EOLCS Manager of Operations
Date: 8/15/2012

MB-Approval 228.3

DAIMLER

31330-FB

Daimler AG · 70546 Stuttgart

MOL-LUB Ltd.
Attn. Mr. András Péceli
Fö út. 21
H-2931 ALMÀSFÜZITÖ
HUNGARY

Telefon/Phone +49 7 11 17-	Telefax/Fax +49 7 11 17-	Hauspost-Code/ Internal Code
24801	59756	C401

Ihr Zeichen, Ihre Nachricht vom/ Your reference	Unser Zeichen, unsere Nachricht vom/ Our reference	Name E-Mail	Datum/Date
04.04.2012	RD/PDE-F- 17678	Mrs. Fuchs	27.06.2012

MB-Approval Certificate

MB-Approval for: Engine Oil "MOL Dynamic Super Diesel 15W-40"
Reblend to
MB-BeVo-Sheet 228.3, Oil-Code: , SAE-Grade: 15W-40
Renewal Approval - Reblend

Dear Sir or Madam,

The aforementioned operating fluid complies with the requirements of the Mercedes-Benz Specifications for Operating Fluids, sheet 228.3 and is therefore re-approved for the respective Mercedes-Benz vehicles and assemblies. The application range is shown on the MB sheet and further defined on the sheet 223.2. Further requirements, e.g. SAE grades, capacities, change intervals etc. must also be observed.

Following regulations are valid for the MB-Approval:

- The MB-Approval is valid with date of this certificate
- The MB-Approval will expire in 5 years at the latest
- The MB-Approval is valid as long as the product name is published in MB BeVo-ONLINE http://bevo.mercedes-benz.com
- The MB-Approval terminates automatically after end of validity period at the latest
- Renewals and/ or new approvals have to be applied for in good time.

A 2 litre sample of each formulation and each SAE grade must be retained at all times, which can be called upon by Daimler AG at any given moment. We will advise the address.
The MB-Approval dated 09.10.2007 becomes invalid.

Sincerely
Daimler AG

p.p. Gorbach

p.p. Dr. Andreas Gorbach

p.p. Breitbach

p.p. Dr. Hermann Breitbach

Daimler AG, Stuttgart, Germany
Sitz und Registergericht/Domicile and Court of Registry: Stuttgart, HRB-Nr./Commercial Register No.: 19360
Vorsitzender des Aufsichtsrats/Chairman of the Supervisory Board: Manfred Bischoff
Vorstand/Board of Management: Dieter Zetsche, Vorsitzender/Chairman;
Wolfgang Bernhard, Christine Hohmann-Dennhardt, Wilfried Porth, Andreas Renschler,
Bodo Uebber, Thomas Weber

Daimler AG
70546 Stuttgart
Telefon/Phone +49 7 11 17-0
Telefax/Fax +49 7 11 17-2 22 44
dialog@daimler.com
www.daimler.com
www.daimler.mobi

820.900.00.003.00.Z

MOL Dynamic Super Diesel 15W-40 multigrade diesel motor oil

MAN M 3275-1

MAN Nutzfahrzeuge AG

MAN Nutzfahrzeuge Aktiengesellschaft Vogelweiherstraße 33 90441 Nürnberg

MOL-LUB Ltd.
Mr. András Péceli
Fö u. 21
2931 Almásfüzitö
Ungarn

Ihre Zeichen/Ihre Nachricht vom	Unser Hausruf	Unser Telefax	Unsere Zeichen	Nürnberg,
A. Péceli / 12.04.11	0911/420-2005	0911/420-1928	MTWV, Jäger	12.04.2011

Prolongation of approval against M 3275-1 (Multigrades)
Start of approval: 30.05.2007
Prolongation of approval until: 29.05.2014
Marketing area: EU, SCG, UA

Dear Sirs,

we are pleased to inform you, that the approval for the super high performance diesel engine oil bearing the designation

MOL Dynamic Super Diesel
SAE 15W-40

has been prolongated for the next three years under MAN approval-no.

TUC 7768/07

This prolongation is only available for the unchanged formulation and in combination with the original approval letter. The approval will automatically expire at the point in time indicated above, unless an prolongation has been applied for in good time by the maker or supplier.

Yours faithfully

MAN Nutzfahrzeuge Aktiengesellschaft

This letter was created electronically without signature.

Ursula Jäger

Vorsitzender des Aufsichtsrates: Rupert Stadler
Vorstand: Dr.-Ing. Georg Pachta-Reyhofen (Sprecher), Lars Wrebo
Bernd Maierhofer, Dr. Frank Hiller, Karl Gadesmann
Sitz der Gesellschaft: München
Commerzbank Aktiengesellschaft, Dachau BLZ 700 400 41 Konto 1450600
Stadtsparkasse München BLZ 701 500 00 Konto 89104400
Registergericht: Amtsgericht München HRB 86 963 | USt-IdNr. DE811125281
Ein Unternehmen der MAN Gruppe

MAN Nutzfahrzeuge Aktiengesellschaft
Postfach 44 02 58 · 90207 Nürnberg
Vogelweiherstraße 33 · 90441 Nürnberg
Telefon +49 911 420-0 oder -Durchwahl
Telefax +49 911 446522
Wagenladungen: Nbg.-Rbf.
Lkw-Sendungen: Nbg., Vogelweiherstr. 33
Internet: www.man-mn.com

MAN M 3275-1

94.

MAN Nutzfahrzeuge AG
Geschäftseinheit Motoren · Werk Nürnberg

MAN Nutzfahrzeuge Aktiengesellschaft Vogelweiherstraße 33 90441 Nürnberg

MOL-LUB Ltd.
Mr. Peter Heiman
Fö u. 21
2931 Almásfüzitö
Ungarn

Ihre Zeichen	Ihre Nachricht vom	Unser Hausruf	Unser Telefax	Unsere Zeichen	Nürnberg,
		0911/420-2532	0911/420-1928	MTWV, gey-jä	30.05.2007

Approval according to	**M 3275**
Start of approval:	30.05.2007
End of approval:	29.05.2009
Marketing area:	EU, SCG, UA

Dear Sirs

we are pleased to inform you that the super high performance diesel engine oil bearing the designation

MOL Dynamic Super Diesel

has been approved by MAN Nutzfahrzeuge Aktiengesellschaft under the MAN approval No.

TUC 7768/07 for SAE 15W-40

This approval is limited and will automatically expire after this period, unless an extension has been applied for in good time by the maker or supplier.

The approval will expire before the end of this period

if the approved formula has been changed
if negative fields results are recorded.

Yours faithfully

MAN Nutzfahrzeuge Aktiengesellschaft

i.V. i.A.

Vorsitzender des Aufsichtsrates: Håkan Samuelsson
Vorstand: Anton Weinmann (Vorsitzender), Prof. Dr. Franz Breun,
Dr. Georg Pachta-Reyhofen, Frederik G. L. van Putten
Sitz der Gesellschaft: München
Commerzbank Aktiengesellschaft, Dachau BLZ 700 400 41 Konto 1450600
Stadtsparkasse München BLZ 701 500 00 Konto 89104400
Registergericht: Amtsgericht München HRB 86 963 | USt-IdNr. DE811125281

Ein Unternehmen der MAN Gruppe

MAN Nutzfahrzeuge Aktiengesellschaft
Postfach 44 02 58 · 90207 Nürnberg
Vogelweiherstraße 33 · 90441 Nürnberg
Telefon +49 911 420-0 oder 420 und Hausruf
Telefax +49 911 446522 · Telex 622291-40 mn d
Wagenladungen: Nbg.-Rbf. · Stückgut: Nbg.-Süd 1317
Expreßgut: Nbg.-Hbf. · Lkw-Sendungen: Nbg., Vogelweiherstr. 33
Gemeindetarifbereich: Nbg.-Süd, Tarifpunkt-Nr. 62 202
Internet: www.man-mn.com

Form N.002c-E-07.04. QXD

Volvo VDS

88/2

VOLVO

Volvo Technology Corporation
Göteborg, Sweden

MOL-LUB Ltd
Attn.: Peter Heiman
Fö út 21, H-2931 Almásfüzitö
HUNGARY

Your reference	Our reference	Telephone direct line	Date
	06150-07-12379-1	+46 31 322 7135	2007-05-31

Dear Mr. Heiman,

REQUEST FOR VDS ACCEPTANCE

With reference to your letter I would like to give the following comments.

From your letter of May 3rd, 2007, I could see that your **MOL Dynamic Super Diesel**, SAE 15W-40, with the formulation stated in the letter, meets VDS and hence could be recommended as a VDS oil.

I hope this information will be of assistance to you.

Best regards

Volvo Technology Corporation
Fuels and Lubricants

Bengt Otterholm
Lubricants coordinator

Postal address: Dept 06150, M1.6, S-405 08 Göteborg, Sweden
Telephone Switchboard +46 31 66 50 00
Telex 27000 VOLVO S
Fax +46 31 – 54 35 69
Reg. No. 556542-432101

Tatra TDS 30/12

Schválení použitelnosti motorového oleje

MOL Dynamic Super Diesel 15W-40

Motorový olej nesoucí označení MOL Dynamic Super Diesel 15W-40 byl podroben laboratorním testům a na základě jejich výsledků shledán způsobilým pro prodloužení značky

TDS 30 / 12,

která udává povolené intervaly výměnných lhůt maziva 30 000 km nebo 12 000 l spotřebovaného paliva pro vozidla T 815-2, TERRNo 1 a T 163 vybavená vznětovými motory TATRA řady T3B-928, T3C-928 a T3D-928. Pro výměnu olejové náplně je rozhodující první dosažený ukazatel.

Schválení je limitováno dobou platnosti 3 roky od data udělení. Po této době může být na základě žádosti obnoveno. Schválení může být odebráno, jestliže jsou zaznamenány negativní výsledky v kvalitě, nebo jestliže dojde ke změnám ve formulaci maziva bez vědomí TATRA,a.s.

Datum : 19.1.2011

.....
Ing. Radomír Smolka
Ředitel technického vývoje

002144

MOL Dynamic Super Diesel 15W-40 multigrade diesel motor oil

MTU Type 2

To	MOL LUB Mr. Andras Peceli H - 2931 Almásfüzitö Fö út 21	Sender Dept. From	MTU Friedrichshafen GmbH TQZ Gudrun Keis
Telefax No.	0036 34 526 183	Phone	+49 7541 90 2005
Date	29 July 2011	Telefax No.	+49 7541 90 3973
Page(s)	1	E-mail	gudrun.keis @mtu-online.com

Approval of MOL Dynamic Super Diesel: Extension

Dear Mr. Peceli,

based on the information and test results you provided, as well as our laboratory analyses, the engine oil

MOL Dynamic Super Diesel SAE 15W-40
Oil Code

which you submitted for approval meets the requirements for Oil Category 2 and is approved for use in all MTU engines (except Series 8000, 4000-04, 965 TB31/32/33) and DDC engines Series 2000/4000.
The letter of approval does not cover Series 1800.

The approval is valid until

July 2013.

For an extension of this approval, please inform us at least one month before expiration of the approval period.
Please note that any modification of the engine oil will invalidate the approval in accordance with our terms of approval (MTL 5044).

Yours sincerely,

MTU Friedrichshafen GmbH

Gudrun Keis

Gudrun Keis

MTU Friedrichshafen GmbH
Maybachplatz 1
88045 Friedrichshafen/Germany
Phone +49 7541 90-0
Telefax +49 7541 90-5000
www.mtu-online.com

Vorsitzender des Aufsichtsrates/
Chairman of the Supervisory Board:
Rolf Eckrodt

Geschäftsführung/Board of Management:
Volker Heuer, Vorsitzender/President and CEO
Christof von Branconi, Rainer Breidenbach,
Joachim Coers, Dr. Ulrich Dohle

Sitz/Domicile: Friedrichshafen
Handelsregister/Register Court: Ulm, Nr./No. HRB 630 227

The information contained in this telefax communication is confidential and/or may be subject to legal non-disclosure restrictions, and may also be attorney-client privileged. This telefax is intended only for the use of the individual or entity named above. If the reader of this message is not the intended recipient or is not responsible for forwarding it to the intended recipient, you are hereby notified that any dissemination, distribution or copy of this communication is strictly prohibited. If this communication has been received in error, please immediately notify us by telephone, collect if necessary, and destroy the original message. Thank you.

K-717-0905

A Tognum Group Company

MOL Dynamic Super Diesel 15W-40 multigrade diesel motor oil

Deutz DQC II-10

22/2011.

The engine company.

DEUTZ

DEUTZ AG · 51057 Köln / Cologne · Deutschland / Germany

MOL-Lub Kft
Mr. András Péceli
Regional OEM Key Account Manager
H-2931 Almásfuzíto Fo.u.21

Hungary

Markus Winkler
Lubricant releases
Ottostraße 1
51149 Köln (Porz-Eil)

Telefon: +49 (0) 221 822-4590
Telefax: +49 (0) 221 822-15-4590
E-Mail: lubricants.de@deutz.com

Cologne, 18th August 2011

Regarding: Your DQC release applications

Dear Sir or Madam,

With reference to your package release applications of 2011-08-03 for the engine oils

Oil code:	DQC class:	Viscosity class:	Sales region:
MOL Dynamic Synt Diesel E4	DQC III-10	10W40	Europe
MOL Dynamic Transit	DQC II-10	15W40	Europe
MOL Dynamic Super Diesel	DQC II-10	15W40	Europe
MOL Dynamic Turbo Diesel	DQC I-02	15W40	Europe

we hereby grant you the non-exclusive right to use the DQC mark for identification of these lubricating oils within the scope of sale of the released lubricating oils under the conditions of our Company Standard H 0685-3 (issue February 2011) which you have accepted without restrictions.
We recommend the claim language: Approved according Deutz DQC III-10, DQC II-10 or DQC I-02.

This right only becomes effective with payment of the fee of 4250 Euro.
The right according to sentence 1 of this letter expires automatically on 2014-08-31. DEUTZ's right to revoke the right at any time for good reason remains unaffected.

Kind regards

i.V. Dr.-Ing. Heiner Bülte

i.A. Dipl.-Ing. Markus Winkler

DEUTZ AG · www.deutz.com
Sitz und Registergericht / Domicile and Register Court: Köln / Cologne
Nr. des Handelsregisters / Commercial Register No.: 42 HRB 281

Vorsitzender des Aufsichtsrates / Chairman of the Supervisory Board: Lars Göran Moberg
Vorstand / Board of Management: Dr.-Ing. Helmut Leube (Vorsitz / Chairman)
Dr. Margarete Haase