MOL Dynamic Gold 5W-30 synthetic motor oil

Viscosity grade: **SAE 5W-30**

Specifications

ACEA C3-08
ACEA A3/B4-04
VW 502 00/505 01
dexos2™ supersedes GM-LL-B-025 and GM-LL-A-025 (License No.:RB2B0107030)
BMW Longlife-04

Approvals

API SM
API SL/CF
MB-Approval 229.51

API SM

energy API

AMERICAN PETROLEUM INSTITUTE

License No: 0636

SCHEDULE A - LICENSE AGREEMENT

The marks referred to and licensed under the Agreement between API and
MOL- LUB PRODUCTION, DISTRIBUTION AND SERVICE
for the period beginning 8/1/2012 and ending 8/1/2013 are as follows:



API SERVICE SYMBOL

Licensee is authorized to display the API Service Symbol on the following products:

BRAND NAME	SAE VISCOSITY GRADE	SERVICE CATEGORY	PERFORMANCE DESIGNATION
MOL DYNAMIC ARCTIC	5W-40	CJ-4/SM	
MOL DYNAMIC ARCTIC	5W-40	CJ-4/SM	
MOL DYNAMIC GLOBAL DIESEL	15W-40	CJ-4/SM	
MOL DYNAMIC GLOBAL DIESEL	15W-40	CJ-4/SM	
MOL DYNAMIC GOLD	5W-30	SL	
MOL DYNAMIC GOLD	5W-30	SM	
MOL DYNAMIC GOLD	5W-30	SM	
MOL DYNAMIC MAX	10W-40	CJ-4/SL	
MOL DYNAMIC MAX	10W-40	SL	
MOL DYNAMIC MK 9	15W-40	CH-4/SL	
MOL DYNAMIC MK 9	15W-40	CH-4/SL	
MOL DYNAMIC PRIMA	5W-40	SM	
MOL DYNAMIC PRIMA	5W-40	SM	
MOL DYNAMIC STAR	0W-30	SJ	
MOL DYNAMIC STAR	0W-40	SJ	
MOL DYNAMIC SUPER DIESEL	15W-40	SJ	
MOL DYNAMIC SYNT	5W-30	SL	Energy Conserving
MOL DYNAMIC SYNT	5W-30	SL	
MOL DYNAMIC SYNT D	5W-30	SN	Resource Conserving
MOL DYNAMIC SYNT D	5W-30	SN	Resource Conserving
MOL DYNAMIC SYNT DIESEL E4	10W-40	CI-4	
MOL DYNAMIC TRANSIT	10W-40	CI-4/SL	
MOL DYNAMIC TRANSIT	15W-40	CH-4,CI-4/SL	
MOL DYNAMIC TRANSIT	15W-40	CI-4/SL	
MOL ESSENCE	15W-40	SJ	

Engine Oil Licensing and Certification System
1220 L Street, NW • Washington, DC 20005-4070 • USA • www.api.org/eolcs

Copyright 2010 – American Petroleum Institute, all rights reserved. API, the API logo, the API Certification Mark ("Starburst"), and the API Service Symbol ("Donut") are either trademarks or registered trademarks of API in the United States and/or other countries. 2010-186 | 11.10 | 5M

Kevin Ferrick
EOLCS Manager of Operations

Date: 8/15/2012

MOL Dynamic Gold 5W-30 synthetic motor oil

API SL/CF

energy API

AMERICAN PETROLEUM INSTITUTE

License No: 0636

SCHEDULE A - LICENSE AGREEMENT

The marks referred to and licensed under the Agreement between API and
MOL- LUB PRODUCTION, DISTRIBUTION AND SERVICE
for the period beginning 8/1/2012 and ending 8/1/2013 are as follows:



API SERVICE SYMBOL

Licensee is authorized to display the API Service Symbol on the following products:

BRAND NAME	SAE VISCOSITY GRADE	SERVICE CATEGORY	PERFORMANCE DESIGNATION
MOL DYNAMIC ARCTIC	5W-40	CJ-4/SM	
MOL DYNAMIC ARCTIC	5W-40	CJ-4/SM	
MOL DYNAMIC GLOBAL DIESEL	15W-40	CJ-4/SM	
MOL DYNAMIC GLOBAL DIESEL	15W-40	CJ-4/SM	
MOL DYNAMIC GOLD	5W-30	SL	
MOL DYNAMIC GOLD	5W-30	SM	
MOL DYNAMIC GOLD	5W-30	SM	
MOL DYNAMIC MAX	10W-40	CJ-4/SL	
MOL DYNAMIC MAX	10W-40	SL	
MOL DYNAMIC MK 9	15W-40	CH-4/SL	
MOL DYNAMIC MK 9	15W-40	CH-4/SL	
MOL DYNAMIC PRIMA	5W-40	SM	
MOL DYNAMIC PRIMA	5W-40	SM	
MOL DYNAMIC STAR	0W-30	SJ	
MOL DYNAMIC STAR	0W-40	SJ	
MOL DYNAMIC SUPER DIESEL	15W-40	SJ	
MOL DYNAMIC SYNT	5W-30	SL	Energy Conserving
MOL DYNAMIC SYNT	5W-30	SL	
MOL DYNAMIC SYNT D	5W-30	SN	Resource Conserving
MOL DYNAMIC SYNT D	5W-30	SN	Resource Conserving
MOL DYNAMIC SYNT DIESEL E4	10W-40	CI-4	
MOL DYNAMIC TRANSIT	10W-40	CI-4/SL	
MOL DYNAMIC TRANSIT	15W-40	CH-4,CI-4/SL	
MOL DYNAMIC TRANSIT	15W-40	CI-4/SL	
MOL ESSENCE	15W-40	SJ	

Engine Oil Licensing and Certification System
1220 L Street, NW • Washington, DC 20005-4070 • USA • www.api.org/eolcs

Copyright 2010 – American Petroleum Institute, all rights reserved. API, the API logo, the API Certification Mark ("Starburst"), and the API Service Symbol ("Donut") are either trademarks or registered trademarks of API in the United States and/or other countries. 2010-186 | 11.10 | 5M

Kevin Ferrick
EOLCS Manager of Operations
Date: 8/15/2012

MOL Dynamic Gold 5W-30 synthetic motor oil

MB-Approval 229.51

DAIMLER

Daimler AG - 70546 Stuttgart
MOL-LUB Ltd.
Attn. Mr. András Péceli
Fö út. 21
H-2931 ALMÀSFÜZITÖ
HUNGARY

Telefon/Phone +49 7 11 17-	Telefax/Fax +49 7 11 17-	Hauspost-Code/ Internal Code
24801	59756	C401

Ihr Zeichen, Ihre Nachricht vom/ Your reference	Unser Zeichen, unsere Nachricht vom/ Our reference	Name E-Mail	Datum/Date
17.06.2010	EP/MDE F 14966	Mrs Fuchs	14.03.2011

MB-Approval Certificate

MB-Approval for: Engine Oil "MOL Dynamic Gold 5W-30"

MB-BeVo-Sheet 229.51, Oil-Code: , SAE-Grade: 5W-30
Changing the Formulation - Reblend

Dear Sir or Madam,

We have examined the changes made to the previously approved operating fluid shown above. The operating fluid complies with the requirements of the Mercedes-Benz Specifications for Operating Fluids, sheet 229.51 and is therefore re-approved for use in Mercedes-Benz vehicles and assemblies. The application range is shown and explained on the sheet 223.2. Other requirements, e.g. SAE grades, capacities, change intervals etc. must also be observed.

MB-Approval is valid with date of this certificate. The validity period is limited to the validity period of the above mentioned original and will expire in 5 years at the latest. New approvals have to be applied for in good time.

A 2 litre sample of each formulation (including all SAE grade variants) must be retained at all times, and can be called upon by Daimler AG at any given moment. We will advise the address.

Sincerely
Daimler AG

p.p. Heiko Sass

p.p. Dr. Hermann Breitbach

14966

Daimler AG, Stuttgart, Germany
Sitz und Registergericht/Domicile and Court of Registry: Stuttgart, HRB-Nr./Commercial Register No.: 19 360
Vorsitzender des Aufsichtsrats/Chairman of the Supervisory Board: Manfred Bischoff
Vorstand/Board of Management: Dieter Zetsche, Vorsitzender/Chairman;
Wolfgang Bernhard, Wilfried Porth, Andreas Renschler, Bodo Uebber, Thomas Weber

Daimler AG
70546 Stuttgart
Telefon/Phone +49 7 11 17-0
Telefax/Fax +49 7 11 17-2 22 44
dialog@daimler.com
www.daimler.com