MOL Dynamic Max 10W-40 semi-synthetic motor oil

Viscosity grade: **SAE 10W-40**

Specifications

ACEA A3/B4-08
TEDOM 258-1
Renault RN0710
Fiat 9.55535-G2

Approvals

API SL
VW 502 00/505 00
MB-Approval 229.3
Renault RN0700

MOL Dynamic Max 10W-40 semi-synthetic motor oil

API SL


energy API

AMERICAN PETROLEUM INSTITUTE

License No: 0636

SCHEDULE A - LICENSE AGREEMENT

The marks referred to and licensed under the Agreement between API and
MOL- LUB PRODUCTION, DISTRIBUTION AND SERVICE
for the period beginning 3/31/2013 and ending 3/31/2014 are as follows:



API SERVICE SYMBOL

Licensee is authorized to display the API Service Symbol on the following products:

BRAND NAME	*SAE VISCOSITY GRADE*	*SERVICE CATEGORY*	*PERFORMANCE DESIGNATION*
MOL DYNAMIC ARCTIC	*5W-40*	*CJ-4/SM*	
MOL DYNAMIC GLOBAL DIESEL	*15W-40*	*CJ-4/SM*	
MOL DYNAMIC GOLD	*5W-30*	*SL*	
MOL DYNAMIC GOLD	*5W-30*	*SM*	
MOL DYNAMIC MAX	*10W-40*	*CJ-4/SL*	
MOL DYNAMIC MAX	*10W-40*	*SL*	
MOL DYNAMIC MK 9	*15W-40*	*CH-4/SL*	
MOL DYNAMIC PRIMA	*5W-40*	*SM*	
MOL DYNAMIC STAR	*0W-30*	*SJ*	
MOL DYNAMIC STAR	*0W-40*	*SJ*	
MOL DYNAMIC SUPER DIESEL	*15W-40*	*SJ*	
MOL DYNAMIC SYNT	*5W-30*	*SL*	*Energy Conserving*
MOL DYNAMIC SYNT D	*5W-30*	*SN*	*Resource Conserving*
MOL DYNAMIC SYNT DIESEL E4	*10W-40*	*CI-4*	
MOL DYNAMIC TRANSIT	*10W-40*	*CI-4*	
MOL DYNAMIC TRANSIT	*10W-40*	*CI-4/SL*	
MOL DYNAMIC TRANSIT	*15W-40*	*CH-4,CI-4/SL*	
MOL DYNAMIC TRANSIT	*15W-40*	*CI-4/SL*	
MOL ESSENCE	*15W-40*	*SJ*	

Engine Oil Licensing and Certification System
1220 L Street, NW • Washington, DC 20005-4070 • USA • www.api.org/eolcs

Copyright 2010 – American Petroleum Institute, all rights reserved. API, the API logo, the API Certification Mark ("Starburst"), and the API Service Symbol ("Donut") are either trademarks or registered trademarks of API in the United States and/or other countries. 2010-186 | 11:10 | 5M

Kevin Ferrick
EOLCS Manager of Operations
Date: 10/1/2013

VW 502 00/505 00

VOLKSWAGEN
AKTIENGESELLSCHAFT

VOLKSWAGEN AKTIENGESELLSCHAFT · 38436 WOLFSBURG · DEUTSCHLAND

MOL-LUB Lubricant Production
Distribution and Service Ltd.
Mr. Péceli
21st Fö Street
Almásfüitö 2931

Hungary

ap	IHRE ZEICHEN
12.04.13	IHRE NACHRICHT
1437-pa-ca	UNSERE ZEICHEN
9-73432	DURCHWAHL
9-78095	TELEFAX
	E-MAIL
03.05.2013	DATUM

Motoröl

Sehr geehrter Herr Péceli,

die Untersuchungen des Motorenöls

MOL Dynamic Max SAE 10W-40

haben ergeben, daß das genannte Produkt sowohl die Anforderungen unserer VW-Norm 502 00 als auch der VW-Norm 505 00 erfüllt. Es ist damit für die Verwendung in unseren Otto- und Dieselmotoren einschließlich der Motoren mit Abgasturbolader gemäß den Angaben in den Betriebsanleitungen unserer Produkte geeignet.

Damit auch für Kunden und Werkstätten die Freigabe ersichtlich ist, sollten die Gebinde mit dem Vermerk

"freigegeben nach VW-Norm 502 00 und VW-Norm 505 00“

gekennzeichnet werden.

Wir weisen darauf hin, daß diese Freigabe nach 36 Monaten erlischt. Die Erfüllung der zu diesem Zeitpunkt gültigen VW-Norm ist dann erneut nachzuweisen.

Mit freundlichen Grüßen

i.V. Dr. Achmus

i.A. Panzer

VOLKSWAGEN AKTIENGESELLSCHAFT
38436 WOLFSBURG
DEUTSCHLAND
TELEFON +49-53 61-9-0
TELEFAX +49-53 61-9-2 82 82
VW@VOLKSWAGEN.DE

EHRENVORSITZENDER DES AUFSICHTSRATS:
KLAUS LIESEN

VORSITZENDER DES AUFSICHTSRATS:
FERDINAND K. PIËCH

VORSTAND:
MARTIN WINTERKORN – VORSITZENDER

FRANCISCO J. GARCIA SANZ
JOCHEM HEIZMANN
CHRISTIAN KLINGLER
MICHAEL MACHT
HORST NEUMANN
HANS DIETER PÖTSCH
RUPERT STADLER

VOLKSWAGEN AKTIENGESELLSCHAFT
SITZ: WOLFSBURG
AMTSGERICHT BRAUNSCHWEIG
HRB 100484

MB-Approval 229.3

91.

DAIMLER

Daimler AG · 70546 Stuttgart

MOL-LUB Ltd.
Attn. Mr. Peter Heiman
Fö Str. 21
2931 ALMÀSFÜZITÖ
HUNGARY

Telefon/Phone +49 7 11 17-	Telefax/Fax +49 7 11 17-	Hauspost-Code Internal Code
24801	59756	C401

Ihr Zeichen, Ihre Nachricht vom Your reference	Unser Zeichen, unsere Nachricht vom Our reference	Name E-Mail	Datum/Date
21.03.2008	EP/MOR F 11919	Mrs Fuchs	05.08.2008

Approval Certificate

Approval for: Engine Oil "MOL Dynamic Max 10W-40"

MB-BeVo-Sheet: 229.3, Oil-Code: OR-F55297F-C, SAE-Grade: 10W-40
Change Approval - Reblend

Dear Sir or Madam,

We have examined the changes made to the previously approved operating fluid shown above. The operating fluid complies with the requirements of the Mercedes-Benz Specifications for Operating Fluids, sheet 229.3 and is therefore re-approved for use in Mercedes-Benz vehicles and assemblies. The application range is shown and explained on the sheet 223.2. Other requirements, e.g. SAE grades, capacities, change intervals etc. must also be observed.

A 2 litre sample of each formulation (including all SAE grade variants) must be retained at all times, and can be called upon by Daimler AG at any given moment. We will advise the address.

The approval dated 24.03.2004 becomes invalid.

Sincerely
Daimler AG

Kreitmann i.V. Schnüpke

11919

B20.900.00.003.00.U

Daimler AG, Stuttgart/Germany
Sitz und Registergericht/Domicile and Court of Registry: Stuttgart, HRB-Nr./Commercial Register No.: 19 360
Vorsitzender des Aufsichtsrates/Chairman of the Supervisory Board: Manfred Bischoff
Vorstand/Board of Management: Dieter Zetsche, Vorsitzender/Chairman;
Günther Fleig, Rüdiger Grube, Andreas Renschler, Bodo Uebber, Thomas Weber

Daimler AG
70546 Stuttgart
Telefon/Phone +49 7 11 17-0
Telefax/Fax +49 7 11 17-2 22 44
dialog@daimler.com
www.daimler.com

MOL Dynamic Max 10W-40 semi-synthetic motor oil

Renault RN0700

RENAULT

TECHNOCENTRE
ETABLISSEMENT DE GUYANCOURT
API : FR TCR LAB 2 52
Grégory ALEXANDRE

Tél : 01 76 82 95 97

Réf. 68150-2010-9928

Le 15/06/2010

Andras Péceli

MOL Lub KFT

H-2931 Almasfuzito Fo.u.21
HUNGARY

Objet : Preconisation – MOL Dynamic Max SAE 10w-40 - RN0700

Dear Mr Peceli,

I am pleased to send you the Renault certificate. Here you can find some details about your RN0700 after sale engine oil :

- MOL Dynamic Max 10w-40 (/ A3/B4-08) : **RN0700-10-36**

The certification is effective for 5 years (until 14/06/2015).

Thank you for your collaboration with us.

Best regards,

Gérard LIRAUT

Chef de Service
« Matériaux polymères et fluides »

PJ :1 Certificate.